

In the Claims:

Claims 3, 4, 9 and 10 are amended herein. Claims 1, 6, 7, 8, 12 and 13 are canceled. Claim 2 was previously canceled.

1. (canceled)

2. (canceled)

3. (currently amended) ~~A gliding door latch mechanism according to claim 1,~~ A gliding door latch mechanism,
comprising:

a handle operatively connected to a latch member for latching and unlatching the gliding door;

a gear reduction mechanism operatively cooperating with said handle; and

a lower door opening push member cooperatively acting with the handle to assist in pushing the door open in concert with unlatching of the door by operation of the handle,

further comprising an elongate actuator member drivingly engaged by operation of said handle to move said actuator member in a substantially vertical direction, and wherein said lower door opening push member is drivingly engaged with said elongate actuator member to move in said substantially horizontal direction.

4. (currently amended) ~~A gliding door latch mechanism~~
~~according to claim 1,~~ A gliding door latch mechanism,
comprising:

a handle operatively connected to a latch member for
latching and unlatching the gliding door;

a gear reduction mechanism operatively cooperating with
said handle; and

a lower door opening push member cooperatively acting
with the handle to assist in pushing the door open in concert
with unlatching of the door by operation of the handle,

further comprising a cam member operatively engaged with
said actuator member and said lower door opening push member, for
converting substantially vertical direction movement of said
actuator member to substantially horizontal direction movement of
said lower door opening push member.

5. (previously presented) A gliding door latch mechanism
according to claim 4, wherein said cam member comprises a
rotational axis and a portion engaging said actuator member to
cause rotation of said cam in response to movement of said
actuator member, and said cam further comprises a portion
engaging said lower door opening push member, whereby rotational
movement of said cam causes substantially horizontal direction
movement of said push member.

6. (canceled)

7. (canceled)

8. (canceled)

9. (currently amended) ~~The latch and opening mechanism for a gliding door according to claim 8,~~ A latch and opening mechanism for a gliding door, comprising:

a latch member operatively connected with a handle for latching and unlatching of said latch member with a latching receiving portion in response to operation of said handle; and

a handle movement transmission system for transmitting unlatching movement of said handle to a door opening assist member, for causing door opening assist movement of said assist member as a result of unlatching operation of said handle,

wherein said handle transmission system comprises a gear reduction member operatively engaged with said handle and an actuator bar driven by said gear reduction member for translating movement of said handle to substantially linear movement of said actuator bar,

further comprising a cam system operatively connecting said actuator ~~drive~~ bar and said door opening assist member, for translating the movement of said actuator ~~drive~~ bar into movement of said door opening assist member in a different direction than the movement of said actuator ~~drive~~ bar.

10. (currently amended) ~~The latch and opening mechanism~~
~~for a gliding door according to claim 8,~~ A latch and opening
mechanism for a gliding door, comprising:

a latch member operatively connected with a handle for
latching and unlatching of said latch member with a latching
receiving portion in response to operation of said handle; and

a handle movement transmission system for transmitting
unlatching movement of said handle to a door opening assist
member, for causing door opening assist movement of said assist
member as a result of unlatching operation of said handle,

wherein said handle transmission system comprises a gear
reduction member operatively engaged with said handle and an
actuator bar driven by said gear reduction member for translating
movement of said handle to substantially linear movement of said
actuator bar,

wherein said actuator ~~drive~~ bar moves in a substantially
vertical direction and said door opening assist member moves in a
substantially horizontal direction.

11. (canceled)

12. (canceled)

13. (previously presented) A gliding door latch system,
comprising:

a handle in a door, adapted for rotational movement;

a first partial gear pinion member operatively cooperating with said handle to rotate in conjunction with rotational movement of said handle;

a second partial gear member engaging with said first partial gear member, whereby rotation of said first partial gear member causes rotation of said second partial gear member, said second partial gear comprising a first and second slot therein;

a latch member having a pin attached thereto, said pin riding in said first slot, wherein as a result of the attachment of the pin to said latch member, said latch member moves as a result of movement of said handle;

an actuator bar having a first pin member at a first position thereof riding in said second slot, wherein rotation of the second partial gear member result in movement of said actuator bar pin which causes actuator bar to also move upwardly in that direction, said actuator bar further having a second pin member at a second position distal from said first position,

a cam engaged by said second pin member, said cam adapted for rotational movement with linear movement of said actuator bar;

a door opening assist member engaged by said cam, wherein movement of said cam urges said door opening assist member to move outwardly away from a body of the door to assist in pushing said door from a closed position to start an opening movement thereof.

14. (previously presented) The gliding door latch system according to claim 13, wherein said door opening assist member is slidably mounted to enable movement of the actuator bar inwardly and outwardly of the door.

15. (previously presented) The gliding door latch system according to claim 13, further comprising a latch member operatively cooperating with said handle for unlatching movement when said handle is operated in a direction.